

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	("4996413" "5596200" "6201249").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 12:55
L3	0	("6370881").URPN.	USPAT	OR	ON	2004/10/26 12:56
L4	4	("4283817" "4709559" "5486703" "5596228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 12:56
L5	2	("6249563").URPN.	USPAT	OR	ON	2004/10/26 12:57
L6	1	("6459757").URPN.	USPAT	OR	ON	2004/10/26 12:57
L7	30569419	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 12:58
L8	47	(temperature with control) with (detector sensor array) and (parabol\$2 near6 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:02
L9	30	7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 12:59
L10	15	(temperature with control\$3) with (detector sensor array) and (parabol\$2 near6 profile) not (velocity fluid) and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:30
L11	112	7 and 378/127.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:40
L12	295	7 and 250/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:30

L13	81	7 and 250/339.03.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:30
L14	138	7 and 250/370.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:31
L15	646	7 and 250/352.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:31
L16	1	11 and parabol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:40
L17	7	12 and parabol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:40
L18	9	13 and parabol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:41
L19	2	14 and parabol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:41
L20	16	15 and parabol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 13:41
L24	24	(11 12 13 14 15) and (temperature with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 13:46

L25	1291	7 and (165/61.ccls. 165/254.ccls. 165/259.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:04
L26	53369	7 and "236".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 13:48
L27	274	7 and 378/141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 13:48
L28	159	7 and 378/199.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 13:48
L29	70	(25 26 27 28) and (parabol\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:06
L30	0	29 and (temperature with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:05
L31	55	29 and (temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:05
L32	145	(25 26 27 28) and (temperature with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:08
L33	0	32 and (parabol\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:06
L34	50	32 and detect\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 14:08
S1	5	US-6249563-\$.DID. OR US-6370881-\$.DID. OR US-6411672-\$.DID. OR US-6416218-\$.DID. OR US-6459757-\$.DID.	US-PGPUB; USPAT	OR	ON	2004/10/15 15:50
S7	20474536	@pd<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 15:43

S8	1775	(detect\$2 adj array) with (X\$1ray)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:19
S9	34305	(thermoelectric adj (cooler heatpump)) (TEC)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:01
S10	63934	isothermal (stable near2 temperature) ((parabolic with profile) same temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:02
S11	5275	((computed adj tomography) (CT)) adj scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:03
S12	1493	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:08
S13	695	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:10
S14	330	S9 and S10 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:55
S15	1	S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:09
S16	637	378/19.ccls. and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:19
S17	1649	378/4.ccls. and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:14
S19	1030	250/336.1.ccls. and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:12
S21	5557	((detect\$2 adj array) sensor) with (X\$1ray)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:05

S22	157	((detect\$2 adj array) sensor) and S14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:45
S23	1	S8 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 14:56
S24	13	S8 and S10 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:00
S25	5	((detector adj array) with x\$1ray) same (isothermal (temperature adj profile))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:11
S26	26	(detector adj array) same (isothermal (temperature adj profile))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:11
S27	17	S26 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:12
S28	2	S16 and (isothermal (temperature adj profile))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:21
S29	7	S16 and (isothermal (temperature near3 control))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/18 15:21
S30	0	("2003/0043959").URPN.	USPAT	OR	ON	2004/10/18 16:07
S31	1	("6249563").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/18 16:07
S32	1	("6459757").URPN.	USPAT	OR	ON	2004/10/18 16:07
S33	4	("4283817" "4709559" "5486703" "5596228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/18 16:08
S34	1	("6249563").URPN.	USPAT	OR	ON	2004/10/18 16:09
S35	1	("6052429").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/18 16:09
S36	1	("6411672").URPN.	USPAT	OR	ON	2004/10/18 16:09
S38	20474536	@pd<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:03

S39	149	250/370.15.ccls. and S38	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:03
S40	715	250/370.09.ccls. and S38	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:32
S41	206	S40 and (temperature isothermal). detd.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:37
S42	12	S40 and ((temperature near3 control) isothermal).detd.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:46
S43	3	S40 and ((temperature near3 profile) isothermal).detd.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:47
S44	1030	250/336.1.ccls. and S38	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:48
S45	6	S44 and ((temperature near3 control) isothermal).detd.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:50
S46	4	S44 and ((temperature near3 profile) isothermal).detd.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 11:50
S47	1	(JP-04110690-\$).did.	JPO	OR	ON	2004/10/19 12:18
S50	1	("5485005").URPN.	USPAT	OR	ON	2004/10/19 12:20
S51	2	("5233265" "5289520").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/19 12:24
S52	16	("5763885").URPN.	USPAT	OR	ON	2004/10/19 12:25
S53	16	("3621258" "4230945" "4555626" "4880979" "4990782" "4995236" "5041723" "5041727" "5049751" "5075555" "5081358" "5227631" "5231289" "5371376" "5420419" "5486689").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/19 12:27
S54	0	("6586744").URPN.	USPAT	OR	ON	2004/10/19 12:28

S55	14	("4090080" "4262207" "4460235" "4571495" "4831639" "4982096" "5077770" "5742060" "5967983" "5991357" "6013877" "6046454" "6055450" "6091070").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/19 12:29
S56	0	("2003/0010925").URPN.	USPAT	OR	ON	2004/10/19 12:30
S57	0	("2003/0043959").URPN.	USPAT	OR	ON	2004/10/19 12:30
S58	1	("6459757").URPN.	USPAT	OR	ON	2004/10/19 12:30
S59	1	("6249563").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/19 12:30
S60	1	("6411672").URPN.	USPAT	OR	ON	2004/10/19 12:30
S61	1	("6052429").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/19 12:30
S62	2	("6249563").URPN.	USPAT	OR	ON	2004/10/19 12:31
S63	4	("4283817" "4709559" "5486703" "5596228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/19 12:31
S64	19197612	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/19 15:44
S65	19197612	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 08:32
S71	2776	((heater) near2 (center middle))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 08:45
S74	86827	((radiation x\$1ray) same (detector array))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 08:40
S75	24	S71 and S74 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 08:44
S76	43	(heater) with ((detector array) near3 (center middle))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 08:46
S78	33	S76 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 08:51

S83	276	S65 and (TEC thermoelectric adj cooler) with (detector)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 10:39
S84	67	S83 and (fan controller)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 10:41
S85	2897031	(detect\$2 near\$2 x\$1ray) and S65	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 11:00
S86	9797	S85 and (isothermal (stable near temperature) (parabolic and temperature and profile)).detd.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 11:00
S87	88	S83 and (heating)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 10:53
S90	8821	(detect\$2 near2 x\$1ray) and S65	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 11:00
S91	19197612	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 15:23
S94	37246	((thermoelectric adj cooler) TEC (Peltier adj effect))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 15:28
S95	153262	((heat adj sink) sink)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 15:29
S96	314722	(fan (active\$2 with dissipat\$3 with heat))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 15:29
S97	1217	S94 same S95	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 15:29
S98	237	S97 and S96 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 15:30

S99	91	S98 and (radiation detector "x-ray")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:00
S100	13991	(x\$1ray near3 detect\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:03
S101	63	(parabolic with (temperature near2 profile))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:04
S102	10094	S100 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:07
S103	48	S101 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:07
S104	7	S100 and (heat with conductive) same (bar sink insert rail) and detector and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:12
S105	329	S102 and rail	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:07
S106	18	S100 and (heat with conductive) same (bar plate sink insert rail) and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:11
S107	24	S100 and S91 and ((plurality multiple many several two) with (temperature) near2 (sensor thermometer thermister measur\$3 RTD))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 16:21
S108	19197612	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:34
S109	14006	(x\$1ray near3 detect\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:34
S110	63	(parabolic with (temperature near2 profile))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:38

S11 3	2	S108 and (S110 same (detector sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:37
S11 4	7	S109 and (heater with center)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:39
S11 5	22943	((temperature near2 profile))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 09:05
S11 6	78	S109 and S115 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:39
S11 7	4	S114 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:41
S11 8	1049	(temperature near2 profile) with (detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:40
S11 9	677	S118 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 08:58
S12 0	48	S110 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 09:20
S12 4	368	temperature and (high\$2 adj conduct\$4) same (rail insert bar) same ((pyrolytic adj graphite) PG copper carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 09:36
S12 6	10	S124 and S108 and detector	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 09:27
S12 7	114	temperature and (high\$2 adj conduct\$4) with (rail insert bar) same ((pyrolytic adj graphite) PG copper (carbon adj2 composite))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 10:12
S12 8	107	S108 and S127	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 09:44

S12 9	406	(heat adj dissipat\$4) same (rail insert bar) same ((pyrolytic adj graphite) PG copper (carbon adj2 composite)) and S108	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 10:30
S13 0	21	S129 and (sensor detector)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 10:15
S13 1	15	(heat adj dissipat\$4) same (rod) same ((pyrolytic adj graphite) PG copper (carbon adj2 composite)) and S108 and (sensor detector)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 10:32
S13 7	19197612	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 14:58
S13 8	662	((thermoelectric adj cooler) TEC) same (temperature control) same (detector sensor) and S137	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 15:15
S13 9	620	((thermoelectric adj cooler) TEC) same (temperature control) same (detector sensor) and S137	USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 15:55
S14 0	151	S139 and heater	USPAT; USOCR; EPO; JPO	OR	ON	2004/10/21 15:56
S14 1	1	"5,817,188".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/22 08:46
S14 3	19197612	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 07:52
S14 7	3	parabolic with (temperature and profile) same (detector array) and S143	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/22 09:26
S14 8	2	parabolic near3 (temperature adj profile) with (along with (detector array))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/22 09:57
S14 9	0	S148 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/22 09:39
S15 0	47	(temperature adj profile) with parabol\$4 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/22 09:38

S15 1	0	"361201182"	JPO	OR	ON	2004/10/22 09:57
S15 2	30569419	@pd<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 07:52
S15 3	4039093	(detect\$3 array sens\$3) and S152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 07:55
S15 4	39229	(temperature with (profile parabol\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 07:55
S15 5	12691	S153 and S154	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 07:56
S15 6	11749	(along across through) and S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:09
S15 8	5597	\$2ray and S156	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 07:59
S15 9	226	S158 and "250".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:00
S16 0	792	S155 and (temperature adj3 profile) and (detector with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:46

S16 2	16	S160 and (parabol\$2 with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 08:11
S16 3	72	S155 and (temperature adj3 profile) and (parabol\$2 with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:14
S16 4	41	S163 and ((detector array sensor) with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:15
S16 5	1	S152 and (parabolic with temperature with profile) same (detector sensor array) and (provide maintain keep)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:25
S16 8	3	S152 and (temperature with stabilize\$ with x\$1ray with (detector array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:51
S16 9	0	S152 and (temperature with (stabilize\$1 maintain\$3) with profile with x\$1ray with (detector array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:53
S17 0	0	S152 and ((temperature with (stabilize\$1 maintain\$3 provid\$3) with profile) same (x\$1ray with (detector array)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:55
S17 1	9	S152 and ((temperature with (stabilize\$1 maintain\$3 provid\$3) with profile) and (x\$1ray with (detector array)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 08:58
S17 2	680	S152 and ((temperature with (stabilize\$1 maintain\$3 provid\$3) with profile) and (detector array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 09:00

S17 3	31	S152 and ((temperature with (stabilize\$1 maintain\$3 provid\$3) with profile) with (detector array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 09:30
S17 4	3289	S152 and (CT computed adj tomography) and ((thermal temperature) same (profile parabol\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 09:47
S17 5	368	S174 and parabolic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 09:32
S17 6	127	S175 and (detector array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 09:41
S17 7	18	S176 and (parabolic with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 09:42
S17 8	44	S152 and (computed adj tomography) and ((thermal temperature) same (profile parabol\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:08
S17 9	284	S152 and (detector adj array) and ((thermal temperature) same (profile parabol\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:15
S18 0	41	S179 and (parabolic parabola)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:12

S18 1	34	S179 and ((parabolic parabola) same (temperature thermal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:13
S18 2	8	S179 and ((parabolic parabola) with (temperature thermal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:13
S18 3	199	S152 and (detector adj array) and ((thermal temperature) same (profile parabol\$2)) and heat\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:20
S18 4	0	S152 and (temperature and control\$3) and (mechanical with (shift\$3 displacement)) and (parabol\$2 with (profile with temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:21
S18 5	98	S152 and (temperature and control\$3) and (mechanical and(shift\$3 displacement)) and (parabol\$2 and(profile with temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:56
S18 6	4	("5291021" "5532489" "5596198" "6087656").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 10:51
S18 7	2	"6411672"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/26 11:03
S18 8	2	("5970113" "6411672").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 11:04
S18 9	0	("6713769").URPN.	USPAT	OR	ON	2004/10/26 11:08
S19 0	1	("6052429").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 11:08
S19 1	1	("6249563").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 11:13
S19 2	4	("4283817" "4709559" "5486703" "5596228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/26 11:13

S19 3	2	("6249563").URPN.	USPAT	OR	ON	2004/10/26 11:15
----------	---	-------------------	-------	----	----	------------------